

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Remove protective cap. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray to the point of dampness, but not run-off. Allow all sprayed articles to dry thoroughly before use.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. If lice infestations should occur on humans, use a product labeled for use on humans. Spray to the point of dampness, but not run-off. After treatment is dry, cover with mattress cover and sheet. Do not use mattress without cover. Retreat if infestation occurs, but not more than once every two weeks.

Exposed Stages of Grain Mites: Spray into cracks and crevices or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Spray to the point of dampness, but not run-off. Retreat if infestation occurs, but not more than once every two weeks. Infested stored food products in the home should be disposed of.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area away from (inaccessible to) children and pets and away from heat, sparks and open flame. Do not transport or store below 32 °F. Do not freeze.

Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! Non refillable container; do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY: WEEKS & LEO CO., INC., 4000 NW 100TH ST. DES MOINES, IA 50322 Ph. 515-276-1586



EPA Reg. No. 10900-86-44393
EPA Est. No. 44393-IA-1

01-648-05v1.1

Est. 1892

WEEKS & LEO
Professional Health

LICE, BED BUG & MITE SPRAY

- Kills lice & their eggs on mattresses, furniture and other non-washable items
- Controls pests for up to four weeks
- For treatment of clothing, nets, sleeping bags & backpacks
- Not for use on humans

ACTIVE INGREDIENT:

Permethrin[†]0.50%

OTHER INGREDIENTS: [‡].....99.50%

Total:.....100.00%

[†] Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

[‡] Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See Side Panel for Additional Precautionary Statements

Net Wt. 5 oz (142 g)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid inhalation of spray mist. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. **This product is not for use on humans.** Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment wash waters.

FIRST AID

If swallowed

- Immediately call a Poison Control Center or doctor
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor
- Do not give **any** liquid to the person
- Do not give anything by mouth to an unconscious person

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
- Call a Poison Control Center or doctor for further treatment advice

If inhaled

- Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
- Call a Poison Control Center or doctor for further treatment advice

If on skin or clothing

- Take off contaminated clothing
- Rinse skin immediately with plenty of water for 15-20 minutes
- Call a Poison Control Center or doctor for further treatment advice

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.