

LICE KILLING SHAMPOO

Drug Facts (continued)

- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **children under 2 years:** ask a doctor

Other information

- do not freeze
- store at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

LICE, BEDBUG AND MITE SPRAY

ACTIVE INGREDIENT:

Permethrin††0.50%

OTHER INGREDIENTS**99.50%

TOTAL100.00%

††Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

**Contains petroleum distillate.

FIRST AID

- If on skin or clothing**
- Take off contaminated clothing
 - Immediately rinse skin with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for further treatment advice

NOTE TO PHYSICIAN: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents) you may call 1-800-858-7378, 24 hours a day, 7 days a week.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs. Remove and wash contaminated clothing before use.

LICE, BEDBUG AND MITE SPRAY

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 °F (54 °C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Using Not For Use on Humans

Do not allow adults, children or pets to enter the treated area until sprays have dried; until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Remove pets, birds and cover fish aquariums before spraying. Do not breathe vapors or spray mist. Wait 2 hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required. Do not apply when food is present. Not for broadcast use on indoor residential surfaces. Do not use in aircraft cabins. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after bottling or canning). Those with asthma or severe allergies should consults their medical professional before using this product and/or have someone else apply this product.

Remove protective cap, hold container upright and spray from a distance of 12-15 inches; 8-10 inches for fabrics (such as clothing, furniture and bedding). Spray an inconspicuous area to test for possible staining or discoloration; inspect after drying, the proceed to spray entire area to be treated. This product will not stain surfaces or fabrics where water alone causes no damage. Spray until surfaces are slight wet, but not to the point of run-off as over-application may cause damage.

To Kill Lice and Louse Eggs: Prior to large-scale applications, spray in an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8-10 inches. Spray each square foot for three seconds. Allow all sprayed articles to thoroughly dry before use. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. If lice infestations occur on humans, use a product labeled for use on humans.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. After mattress is dry, cover with mattress cover and sheet; do not use mattress without cover. Treat baseboards, moldings and floors. Repeat if reinfestation occurs, but not more than once every 2 weeks. If lice infestations should occur on humans, use a product labeled for use on humans.

To Kill House Dust Mites: This product controls house dust mites that may cause asthma, hay fever, rhinitis, sneezing and watery eyes. One treatment lasts for up to 8 weeks. Vacuum entire area once dry. **Upholstery:** Prior to large-scale use, test the fabric in an inconspicuous area to ensure dyes will not bleed. Hold container upright with nozzle facing away from you. Depress valve and spray from a distance of 8-10 inches. Do not use on delicate fabrics. Allow furniture to thoroughly dry before using. **Carpets:** Spray over entire carpet area. Hold the nozzle approximately 12-18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to ensure total coverage. After application, brush the surface of the carpet with a broom or brush to ensure deep penetration. Allow carpet to thoroughly dry before re-entering the treated area. **Mattresses:** Spray at the top, bottom and sides of mattresses, paying particular attention to tufts and seams. Allow to thoroughly dry before using. After mattress is dry, cover with a mattress cover and sheet; do not use mattress without cover.

LICE, BEDBUG AND MITE SPRAY

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry area (inaccessible to children and pets) away from heat, sparks and open flame. Do not freeze. **Pesticide Disposal and Container Handling:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] **If partly filled:** Call your local solid waste agency for disposal instructions.

Important Note: To the extent permitted by applicable State law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 10900-86-44393 EPA Est. No. 44393-IA-1
Refer to bottom of container for production facility.

LICE AND EGG COMBING GEL

Use For use after lice killing shampoo

Warnings

For external use only. Keep out of the reach of children. If product gets into the eyes, immediately flush with water.

Directions

1. Apply liberally to wet hair.
2. Massage thoroughly until hair is evenly covered.
3. Use the special comb provided to remove nits/eggs.
4. Rinse or wipe comb periodically to clean.
5. Re-check for nits/eggs before rinsing out.
6. Use as often as desired.

Other Information To Prevent Reinfestation

- All personal headgear (scarves, coats and bed linen) should be disinfected by machine washing in hot water and drying using hottest drying cycle for at least 20 minutes.
- Personal articles of clothing or bedding that have been exposed to lice and cannot be washed may be dry-cleaned or sealed in a plastic bag for a period of 2 weeks.
- Combs and brushes may be disinfected by soaking in hot water (hotter than 130 °F) for 5-10 minutes.
- Thorough vacuuming of rooms inhabited by infected persons is recommended.
- Inanimate objects such as mattresses and carpets should be treated with bedding spray to improve the louse treatment process.

Ingredients Water, Glycolic Acid, Potassium Hydroxide, Propylene Glycol, Polysorbate 20, Polyquaternium-10, Hydroxyethylcellulose, Diazolidinyl Urea, Methylparaben, Propylparaben, Fragrance

* This product is not manufactured by Bayer HealthCare, distributor of the product RID®.

Important: keep this outer carton for future reference.

Questions: Call 1-877-974-7167 5000 KANSAS AVE, KANSAS CITY, KS 66106

Batch Code

Exp Date

Best Choice,
100% Guaranteed

www.bestchoicebrand.com
PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.

07-255-0103-1

COMPARE TO THE ACTIVE
INGREDIENTS IN RID® SHAMPOO*

Complete Lice Treatment Kit

THE ALL IN ONE SOLUTION FOR YOUR FAMILY

STEP

1 TREAT

LICE KILLING SHAMPOO

- Kills Head Lice, Body Lice And Pubic (Crab) Lice

STEP

2 REMOVE

LICE AND EGG COMBING GEL (INCLUDES COMB)

- Makes Combing Easier
- Helps Remove Lice Eggs

STEP

3 CONTROL

LICE, BEDBUG AND MITE SPRAY

- Kills Lice and Bedbugs
- For Use on Bedding, Ect.
- Not For Use on Humans or Animals

Best
Choice®

LICE KILLING SHAMPOO

Drug Facts

Active ingredients

Piperonyl butoxide 4%.....Lice treatment
Pyrethrum extract (equivalent to 0.33% pyrethrins).....Lice treatment

Purpose

Uses treats head, pubic (crab), and body lice

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).

4 FL OZ (118mL) Shampoo
2 FL OZ (59mL) Lice and Egg Combing Gel
Net Wt. 5 OZ (142g) Bedding Spray
1 Special Nit Comb

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions.