

## Drug Facts

 Active ingredient
 Purposes

 Pramoxine hydrochloride 1% .... External analgesic

**Uses** for the temporary relief of pain and itching associated with minor skin irritations

## Warnings

## For external use only

When using this product • avoid contact with the eyes

**Stop use and ask a doctor if** • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days

Caution-Do not use in the eyes or nose. Not for prolonged use. Do not apply to large areas of teh body. If redness, irritation, swelling, or pain persists or increases, discontinue use unless directed by a physician.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

• to open, squeeze cap tightly and turn pump counter-clockwise adults and children 2 years of age and older:

apply to affected area not more than 3 to 4 times daily
 children under 2 years of age: consult a doctor

Inactive ingredients benzyl alcohol, carbomer 940, cetyl alcohol, dimethicone, glyceryl stearate, isopropyl myristate, PEG-8 stearate, PEG-100 stearate, petrolatum, purified water, sodium hydroxide, stearic acid



\*This product is not manufactured or distributed by the owner of the registered trademark Sarna®

001-263-08v1.0 Distributed by: Weeks & Leo Co., Inc. 4000 NW 100th St., Des Moines IA, 50322 www.weeksleo.com (515) 276-1586